



Dedicated to improving vehicle fun, safety & performance

Installation Instructions

Rear Anti-Sway Bar

S40 2004.5-2012

V50 2005-2012

C30 2007-2013

C70 2006-2013

ipd #110419



SUGGESTED TOOLS

- Metric end wrench
- Ratchet
- Allen wrenches
- Socket

SAFETY WARNINGS



- Read through instructions completely before beginning installation.
- Always support the vehicle with according to the manufacturers safety guidelines before working underneath the vehicle.

REMOVAL

- 1 Locate the two endlinks on each side of the factory sway bar. For later style endlinks use a pair of 13mm wrenches to loosen the bolt/nut and remove the endlink assemblies on each side.



REMOVAL

- 2 For earlier style endlinks use a 15mm wrench and a 5mm allen socket to remove the 15mm nuts from the endlinks on each side. See figures 2A and 2B. Remove the 15mm nut from the top of the factory endlink as shown in figure 2C and remove the endlink from the vehicle.



- 3 Remove the two 14mm bolts from each of the two saddle brackets on each side of the factory sway bar. Then remove the factory sway bar. See See figures 3A and 3B.



INSTALLATION

- 4 Apply the supplied grease to the inside of each of the new sway bar Polyurethane bushings.



- 5 Install the new polyurethane bushings on to the sway bar as shown.



INSTALLATION

- 6** Install the saddle brackets on to each of the two Polyurethane bushings the were installed in the previous step.



- 7** Install the four remaining original bolts and corresponding "D" shaped washers into the sway bar (saddle) mounting brackets. Tighten to 20 ft.lbs.



- 8** This bar kit is designed to fit two different control arm styles and it is easiest to tell them apart by the style of factory end-link which was installed. The shorter (pin/bolt style) is replaced using the shorter included bolts and sleeves. The longer (ball end style) is replaced using the longer included bolts and sleeves. Assemble and install the new end-links as illustrated and tighten the locknut until the grommets are just starting to bulge.



WARRANTY

One Year Limited Warranty

ipd warrants to the original purchaser that the parts manufactured and/or sold by ipd (the Product) is free from defects in material and workmanship under normal use. ipd warrants that the Product will perform substantially in accordance with the specifications set forth in the documentation provided with it. The above express warranties are made for a period of the lesser of 12,000 miles or 12 months from the date the Product is installed in your vehicle.

Any improper use, operation beyond capacity, substitution of parts not approved by ipd in writing, any alteration or repair by others, or any removal, defacing or altering of the identification shall void this warranty. There is no warranty on high-performance or race related parts due to the nature of usage.

The purchaser shall notify ipd at 1-800-444-6473 of any defect within the warranty period no later than thirty (30) days after purchaser discovers the defect. Should any failure to conform to this warranty appear within the warranty period, ipd shall, on notification, correct the nonconformity at its option, either by repairing any defective part, or by making available, FOB ipd's plant, a repaired or replacement part. The purchaser must insure any defective item being returned because ipd does not assume risk of loss or damage while in transit. No payment or reimbursement shall be made for installation, removal, transportation or other charges. The remedies set forth in this instrument are exclusive, and the liability of ipd with respect to any sale shall not exceed the price of the product on which the liability is based.

EXCEPT AS STATED OTHERWISE IN THIS WARRANTY, ipd MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION, ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some states do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you. ipd shall not in any case be liable for special, incidental, consequential, indirect, or other similar damages arising from any breach of these warranties even if ipd or its agent has been advised of the possibility of such damages. Some states do not allow the exclusion or limitation of incidental or consequential damages so the above limitation or exclusion may not apply to you.

This warranty is governed by the laws of the State of Oregon.

